

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

Guildhall Sand & Gravel is issued a permit pursuant to RSA Chapter 155-E to excavate at its Lear Hill Road site in Goshen, New Hampshire – formerly the “Davis Pit” or “Davis Site” – consisting of map 403, lots 4.1 and 4.2 and map 204, lot 15, for the period beginning February 8, 2012 and ending February 8, 2015.

Excavation shall be subject to the following list of stipulations, the violation of any of which may subject the applicant to enforcement under RSA 155-E:10, including suspension or revocation:

1. **Conformity With Plans.** The excavation shall be performed in conformity with the written plans and oral testimony submitted by the applicant, and the reiteration of some aspects of those plans in this list of stipulations shall not be deemed to excuse or justify non-compliance with remaining aspects. No material changes in those plans, including transfer of ownership of the site, shall be made unless the applicant receives approval from the Goshen Planning Board for an amendment, using the procedure prescribed by RSA 155-E:6 and Goshen Excavation Regulations section III.6.
2. **Posting of Permit.** As required by RSA 155-E:8, a copy of this permit must be prominently posted at the excavation site.
3. **Hours of Operation.** Hours of operation on the site are limited to weekdays from 7:00 a.m. to 5:30 p.m. Operation on weekends (Saturdays and Sundays) and on state and national holidays shall be on an “emergency basis” only.
 - a. The term “operation” includes the operation of any heavy motorized equipment or vehicles or the use of back-up warning devices or other noise-generating devices. It includes excavation activities, including the moving of any excavated material through, on or from the site, as well as any noise-generating activity ancillary to excavation, including land clearing or reclamation, which generates noise from power equipment such as bulldozers or chainsaws, whether such activities are performed by Guildhall Sand & Gravel employees, by contract personnel, or by any other parties. The term does not include the use of personal passenger vehicles to access or inspect the site, normal conversation, or routine Saturday morning (8:00 a.m. to 12:00 noon) maintenance of equipment left on site, which does not involve any moving of equipment.
 - b. The applicant may begin the warming up of the loader engine at 6:45 a.m. on weekdays, as long as the loader is located in such a place that noise from this preparatory activity will not be noticeable to abutters and neighbors.
 - c. The term “emergency” means a crisis or accident that requires the use of equipment or material to rescue or protect personal lives or property. Any operation which occurs under the “emergency” provision shall be reported to the Goshen Board of Selectmen, with a written explanation of the emergency, within seven days.

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

4. **Scope of Operation.** The scope of the operation shall be limited as follows:
- a. As represented by the applicant, Plan Sheet 1, entitled “RSA 155-E Site Plan (2011), Existing Conditions,” dated 9/29/2011, prepared by Richard Fraser for Guildhall Sand & Gravel, LLC, specifies that there are a total of 29.5± acres of open area. This area is depicted on the plan sheet by a gold polygon.
 - b. Also as represented by the applicant any new excavation areas shall be within the 16.5± acres depicted within the red oval portions of the gold polygon on Plan Sheet 1.
 - c. Plan Sheet 2, entitled “RSA 155-E Site Plan, Final Grading/Reclamation Plan,” dated 9/29/2011, prepared by Richard Fraser for Guildhall Sand & Gravel, LLC, depicts contours for the proposed final grade as well as four reclaimed areas totaling 13.17 acres and a 5.9± acre area described as “Eligible for Reclamation in 2012.”
 - d. Plan Sheet 3, entitled “Guildhall Sand & Gravel, LLC, Erosion & Sediment Control Details & Misc. Permit Notes,” dated 9/29/2011, prepared by Richard Fraser for Guildhall Sand & Gravel, LLC, provides details on typical Best Management Practices (BMP) to be employed on the site for erosion and sediment control, and other purposes.
 - e. Earth hauling from the site shall not exceed 90 round-trips by haul trucks during any single day. Sales to third parties shall be included within this limitation. Records of all daily trips by all trucks using the Davis Site haul road, those in the employ of the applicant, as well as those which are not shall be maintained by the applicant and shall be available for inspection by the Planning Board upon request. These records will maintain a daily count of trucks carrying material excavated at the Davis Site, including sales to third parties.
 - f. The total amount excavated from the Davis Site in any one year shall not exceed 184,000 cubic yards.
 - g. Any on-premises sales to any third party shall be conducted in such a manner that these sales shall be considered a part of the daily truck load limitation imposed by this permit for the Davis site. Such third parties as are engaged in such sales shall also observe the safety and community concerns regarding noise as exist in these regulations under paragraph 6, “Noise Control,” paragraph 7, “Truck Traffic and Highway Safety,” and paragraph 8, “Excavation Site Safety” shall be observed. The applicant shall be responsible for compliance by third parties.
 - h. As represented by the applicant, no fuels shall be stored on site except by amendment to this permit by the Goshen Planning Board.
 - i. Overnight storage of explosives or blasting agents, whether supervised or not, is prohibited. Explosives shall be used in accordance with the Goshen Excavation Regulations, section III.4-a.V.

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

- j. The company shall provide an emergency contact number for the general public and town officials, such that a responsible company person may be contacted at any time on all matters involving an emergency at the excavation site. An emergency number shall be posted at the excavation site which shall also include the number for the Goshen Police. The company shall give the Goshen Police Department contact numbers of responsible individuals who may be contacted in the event of any off-hours emergency.
5. **Dust Control.** Dust shall be reasonably controlled so as not to adversely affect the use or enjoyment of adjoining properties. In particular, the following measures shall be employed at a minimum:
 - a. The applicant has verbally assured the Board that dust will be controlled. If the Select Board finds that trucks exiting the Davis Site are resulting in the loss of excavated material on the roadway described above, they shall contact the company to: 1) arrive at a mutually satisfactory method for clearing the roadway and 2) implement corrective action to prevent reoccurrence of the problem. Clearing of the roadway shall occur during permitted operation hours, as needed, subject, however, to the Selectmen's authority to regulate highways under RSA 41:11.
 - b. The use of a water truck on unpaved haul routes within the pit during permitted operation hours, as needed.
 - c. The use of calcium chloride or the equivalent on unpaved haul routes, as needed.
 6. **Noise Control.** Noise shall be reasonably controlled so as not to adversely affect the use or enjoyment of adjoining properties. In particular, the following measures shall be employed at a minimum:
 - a. The use of a discretionary backup beeper on the loader.
 - b. The maximum use of hand signals or other silent means, rather than vehicle horns, for communicating among personnel within the excavation site.
 - c. The directing of the flow of traffic such as to minimize the need for vehicles to back up within the excavation site.
 - d. Compliance with the "hours of operation" as set forth in paragraph 3 above.
 7. **Truck Traffic and Highway Safety.** In addition to the scope of operation limitations stated in paragraph 4 above, the following measures shall be required to control traffic impacts:
 - a. Haul trucks carrying material excavated at the Davis Site shall be no larger than 10-wheelers and tri-axles with associated gross weights of not more than 65,000 and 73,000 pounds respectively. There shall be no 18-wheelers, tandem, or tractor-trailer haul vehicles. All vehicles shall comply with road and bridge weight limits.

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

All truckers must adhere to the operational limits and standards for trucking, including days and hours of operation, as specified for the Davis Site permit.

- b. The applicant shall notify all employees, contractors, and other haul truck operators that they must bring their vehicles to a complete stop before proceeding from the access road onto Lear Hill Road and that they shall adhere to posted speed limits on public highways.
8. **Excavation Site Safety.** The following measures, at a minimum, shall be taken to assure safety at the excavation:
- a. The applicant shall construct and maintain berms according to Mine Safety and Health Administration (MSHA) standards at all steep slope locations.
 - b. Orange construction fencing at least four feet high shall be erected at the top of any temporary slopes which equal or exceed a 1:1 slope.
 - c. The applicant shall maintain “No Trespassing” signs around the perimeter of the excavation site at all times to discourage any unauthorized trespass.
9. **Buffers And Visual Impact.** The following measures shall be required:
- The line of trees along the access road, which currently provide a visual barrier to the Landry property, shall not be removed, nor shall any other existing trees be removed within the buffer areas required by RSA 155-E:4-a, I, II, and III and by Goshen Excavation Regulations section III.4-a, A, B, and C.
- Notwithstanding the foregoing, in order to create a uniform topography between adjacent properties or to prepare an area for imminent reclamation activities, the applicant may remove the vegetation and excavate the underlying earth materials in the buffer areas on the Davis Site that are adjacent to properties owned or leased by the applicant, Newport Sand & Gravel Co., Inc., Carroll Concrete Company or other companies that are subsidiaries of or affiliated with any of the foregoing entities, including but not limited to the buffer area between the Davis Site and the Bridge Site.
10. **Monitoring Water Table Data.** As agreed to by the applicant, the company will take test pit readings with an objective of determining seasonal high water table data. The Board recommends that at least one test pit should be located in the eastern section of the site, where the elevation is lowest and future excavation is expected to be undertaken. Other test pits should be chosen by the company and should be ones that will help both the company and the Board gain assurance that minimal if any wetlands will be created at the time of final reclamation.
11. **Reclamation.** In addition to the open area limitation in paragraph 4(b) above, the following measures are required:
- a. The applicant shall continue to maintain a reclamation bond in the amount of \$84,456. The reclamation bond shall state that it is to secure the applicant’s obligation to perform the reclamation activities as required under an excavation

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

permit granted pursuant to RSA Ch. 155-E for Tax Map 403, lots 4.1 and 4.2 and Map 204, lot 15. A copy of this decision and permit shall be attached and cross-referenced. The bond shall be of a self-calling variety, which does not automatically expire on a particular date, but instead makes the amount available for the use of the Town upon a particular date unless released by the Town or extended by the applicant. The Town's attorney shall review the security instrument for legal considerations, at the applicant's expense.

- b. The Board has previously determined that Guildhall's excavation site, which existed prior to the adoption of a Town Zoning Ordinance, is exempt from the requirement that topsoil must be used for reclamation. Any other deviations from those procedures must be reviewed and approved by the NRCS and the Goshen Planning Board.
- c. As represented by the applicant, no bio-solids or sludge shall be used in the reclamation of this site.
- d. Using test pit data, written assurance will be provided that after final grading the new restored surface will be at least 12 inches above the seasonal high water table.

12. Reporting and Review Procedures. The operation shall be subject to reporting and an annual site inspection as follows:

- a. The company shall immediately notify the Goshen Planning Board of any inability to perform any conditions of this permit. Any alteration of any condition of this permit, express or implied, shall require a permit amendment as set forth in paragraph 1 above.
- b. The applicant shall copy the Board on all correspondence between Guildhall Sand & Gravel and any governmental agencies. In particular, the company shall provide the Board copies of Guildhall's biennial filing with the Department of Environmental Services and the engineering plan which Guildhall submits to the state every six years, as well as the annual "Notice of Intent to Excavate" form and the annual "Report of Excavated Material" report filed with the Goshen Board of Selectmen.
- c. The protocol for tabulating daily trips by all haul trucks, whether in the employ of Guildhall Sand & Gravel or a third party, shall ensure that: 1) loaded trucks are counted before they exit the site, 2) daily records are maintained for annual reporting, and 3) daily records are available for Planning Board or Select Board review upon request.
- d. The applicant shall submit an annual report to the Goshen Planning Board no later than October 1 of each year. This report shall note the extent of company compliance with the terms and conditions of this excavation permit and the reclamation plan. The report shall include at a minimum the monthly tally of haul truck-loads and cubic yards and pounds of excavated material excavated from the Davis Site. The report shall also include the total annual cubic yards and pounds of "sugar" sand and the

Excavation Permit
Guildhall Sand & Gravel, LLC
Lear Hill (Davis) Excavation Site, Goshen, New Hampshire, February 7, 2012
(Final revisions February 9, 2012)

total annual cubic yards and pounds of other excavation materials combined that were excavated from the Davis Site. The annual report will also include an updated chart depicting total cubic yards excavated from the Davis Site each year from 1998 through the present reporting year. Test pit data shall be included for every year in which seasonal high water table data is collected.

- e. The applicant shall also annually, before the Board's annual site visit, submit an updated sketch map that shows with reasonable accuracy all changes in the location of haul roads, berms, fences, and physical features. This map shall indicate all areas worked during the production season just ending, and shall be in sufficient detail for the Board to view changes and assure compliance with the total open area requirement set forth in paragraph 4(b) above.
 - f. The Goshen Planning Board will, under normal circumstances, conduct an annual inspection of the site between mid-September and mid-October of each year. The company shall provide a representative to accompany the Board during the annual inspection. Following the annual site inspection, the Board will prepare a letter to the applicant that confirms compliance with the terms and conditions of the permit or identifies each item of the Excavation Permit that the Board believes to be out of compliance.
13. ***Complete Permit.*** All representations or statements of regulatory intent made by the Goshen Planning Board are merged into and incorporated into this permit and the accompanying written decision of the Board, which alone express the intent of the Board and the obligations of the applicant. The plain meaning of the conditions and stipulations contained herein shall not be deemed modified, construed, or altered by any prior or future statement, written or oral, made by the Goshen Planning Board or its members, or by the applicant or its agents, except following a request for amendment submitted under RSA 155-E:6 and Goshen Excavation Regulations section III.6 and a favorable Board decision on such.